



# Environmental Product Declaration (EPD)

In accordance with ISO 14025:2006 and EN 15804:2012+A2:2019/AC:2021

## Ready-Mixed Concrete "ZS3220-641" supplied to ESR Wetherill Industry Park

ESR - FRANK STREET, WETHERILL PARK  
27 FRANK ST WETHERILL PARK, NSW, 2164



Programme: The International EPD® System [www.environdec.com](http://www.environdec.com)  
Programme operator: EPD International AB  
Regional Programme: EPD Australasia [www.epd-australasia.com](http://www.epd-australasia.com)  
EPD Registration no. EPD-IES-0022754:001  
Issued 2025-06-02 | Version: 2025-06-02 | Valid until 2030-06-02  
Geographical scope: Australia

 **EPD**®  
THE INTERNATIONAL EPD® SYSTEM  
 **EPD**®  
AUSTRALASIA  
INTERNATIONAL EPD SYSTEM

*EPD of a single concrete product from one location  
An EPD should provide current information and may be updated if conditions change.  
The stated validity is therefore subject to the continued registration and publication at [www.environdec.com](http://www.environdec.com)*



# Contents

|                                                       |           |
|-------------------------------------------------------|-----------|
| <b>Programme information and verification</b>         | <b>1</b>  |
| <b>About Gunlake</b>                                  | <b>2</b>  |
| <b>Product description</b>                            | <b>3</b>  |
| <b>Technical compliance</b>                           | <b>4</b>  |
| <b>Declared unit</b>                                  | <b>4</b>  |
| <b>Scope of the Environmental Product Declaration</b> | <b>5</b>  |
| <b>Product stage (A1-A3)</b>                          | <b>7</b>  |
| <b>End of life stage (C1-C4)</b>                      | <b>8</b>  |
| <b>Resource recovery stage (D)</b>                    | <b>8</b>  |
| <b>Life cycle assessment (LCA) methodology</b>        | <b>9</b>  |
| Background data                                       | 9         |
| Key assumptions                                       | 9         |
| Allocation                                            | 9         |
| Cut-off criteria                                      | 9         |
| <b>Life cycle assessment (LCA) indicators</b>         | <b>10</b> |
| <b>Results: Environmental profiles</b>                | <b>12</b> |
| <b>Additional information</b>                         | <b>16</b> |
| <b>References</b>                                     | <b>17</b> |
| <b>Contact information</b>                            | <b>18</b> |

## Disclaimer

*EPDs within the same product category but registered in different EPD programmes, or not compliant with EN 15804, may not be comparable. For two EPDs to be comparable, they must be based on the same PCR (including the same version number) or be based on fully-aligned PCRs or versions of PCRs; cover products with identical functions, technical performances and use (e.g. identical declared/functional units); have equivalent system boundaries and descriptions of data; apply equivalent data quality requirements, methods of data collection, and allocation methods; apply identical cut-off rules and impact assessment methods (including the same version of characterisation factors); have equivalent content declarations; and be valid at the time of comparison. For further information about comparability, see EN 15804 and ISO 14025.*



# Programme information and verification

An Environmental Product Declaration (EPD) is a standardised way of quantifying the potential environmental impacts of a product or system. EPDs are produced according to a consistent set of rules – Product Category Rules (PCR) – that define the requirements within a given product category. These rules are a key part of ISO 14025 as they enable transparency and comparability between EPDs. This EPD provides environmental indicators for a selected concrete product, manufactured at Gunlake's Prestons facility in the Greater Sydney region in New South Wales (NSW), Australia.

This EPD is a "cradle-to-gate plus modules C1-C4, D" declaration covering production and end-of-life life cycle stages.

This EPD is verified to be compliant with EN 15804. EPDs of construction products may not be comparable if they do not comply with EN15804. EPDs within the same product category but from different programs or utilising different PCR documents may not be comparable, see the disclaimer on the previous page.

Gunlake Concrete NSW Pty Ltd, as the EPD owner, has the sole ownership, liability, and responsibility for the EPD.

|                                              |                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                          |                                                                                       |
|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Declaration Owner                            | <b>Gunlake Concrete NSW Pty Ltd</b><br>Double Bay NSW 2028, Australia<br>Email: <a href="mailto:info@gunlake.com.au">info@gunlake.com.au</a><br>Web: <a href="http://www.gunlake.com.au">www.gunlake.com.au</a><br>Phone: +61 02 9363 1744                               |                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                          |    |
| EPD Program Operator and Regional Programme: | <b>EPD Program Operator</b><br><b>EPD International AB</b><br>Box 210 60, SE-100 31<br>Stockholm, Sweden,<br>E-mail:<br><a href="mailto:info@environdec.com">info@environdec.com</a>                                                                                     | <b>Regional Programme</b><br><b>EPD Australasia Limited</b><br>Address: 315a Hardy Street<br>Nelson 7010, New Zealand<br>Web: <a href="http://www.epd-australasia.com">www.epd-australasia.com</a><br>Email: <a href="mailto:info@epd-australasia.com">info@epd-australasia.com</a><br>Phone: +61 2 8005 8206 (AU) | <br>THE INTERNATIONAL EPD® SYSTEM<br><br>AUSTRALASIA<br>INTERNATIONAL EPD SYSTEM |                                                                                       |
| LCA Accountability:                          | <b>start2see Pty Ltd</b><br>Unit 8, 2-4 Kensington Rd, South Yarra, VIC 3141<br>Web: <a href="http://www.start2see.com.au">www.start2see.com.au</a><br>Email: <a href="mailto:Rob.Rouwette@start2see.com.au">Rob.Rouwette@start2see.com.au</a><br>Phone: +61 403 834 470 |                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                          |  |
| EPD registration number:                     | EPD-IES-0022754:001                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                          |                                                                                       |
| Published:                                   | 2025-06-02                                                                                                                                                                                                                                                               | Valid until:                                                                                                                                                                                                                                                                                                       | 2030-06-02 (5 years)                                                                                                                                                                                                                                     |                                                                                       |
| Reference year for data:                     | 2020-07-01 – 2021-06-30 (the mix design is current at time of publication of the EPD)                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                          |                                                                                       |

## CEN standard EN 15804 served as the core PCR

|                                                                                      |                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PCR:</b>                                                                          | PCR 2019:14 Construction Products, Version 1.3.4, 2024-04-30 (valid until 2025-06-20)<br>C-PCR-003 (to 2019:14) Concrete and concrete elements, version 2024-04-30                                                                                                                                                                                                      |
| <b>PCR review was conducted by:</b>                                                  | The Technical Committee of the International EPD® System.<br>See <a href="http://www.environdec.com">www.environdec.com</a> for a list of members.<br>Most recent review chair: Claudia A. Peña, University of Concepción, Chile.<br>The review panel may be contacted via the Secretariat <a href="http://www.environdec.com/contact">www.environdec.com/contact</a> . |
| <b>Independent verification of the declaration and data, according to ISO 14025:</b> | <input checked="" type="checkbox"/> EPD verification by individual verifier (External)                                                                                                                                                                                                                                                                                  |
| <b>Third party verifier:</b><br>Accredited or approved by EPD Australasia Ltd        | Andrew D. Moore, Life Cycle Logic<br>Web: <a href="http://www.lifecyclelogic.com.au">www.lifecyclelogic.com.au</a><br>Email: <a href="mailto:andrew@lifecyclelogic.com.au">andrew@lifecyclelogic.com.au</a><br>Phone: +61 4 2432 0057                                                                                                                                   |





## About Gunlake

Gunlake is the largest independent supplier of concrete and quarry products in the Sydney Region and NSW. Over the last 17 years Gunlake have developed a cycle of continuous growth building state-of-the-art concrete batch plants. Currently we have five concrete plants in operation and another in the planning phase.

The Gunlake Group are a proudly Australian owned, family company spanning four generations in the quarrying and concrete industry in Australia. We strive to deliver:

- Industry leading service,
- The highest quality products, and
- Innovative solutions to support our customers' requirements.

Beginning with one concrete plant and plans for a quarry in 2007, Gunlake Group has grown in 2024 to five operational concrete plants. We have a fleet of 105 concrete agitators with more to come. The quarry at Marulan is currently consented for 4.2 million tonnes per annum and services the concrete, asphalt, civil and infrastructure markets and recently completed the supply of 450,000 tonnes of crushed rock to the new Western Sydney Airport's runway.

Gunlake Quarries is a supplier of premium quarry materials across New South Wales. Gunlake Quarries is proud to deliver premium aggregate to Gunlake Concrete, as well as some of Australia's largest infrastructure projects.

This EPD covers a single concrete mix, manufactured at the Prestons plant, in NSW.

## Product description

Gunlake produces Ready-Mixed concrete in line with Australian Standards, AS1379 Specification and Supply of Concrete.

The product covered by this EPD is manufactured at Gunlake's Prestons plant in the western part of Sydney, NSW. The concrete is used in the construction of the ESR Wetherill Industry Park at 27 Frank St in Wetherill Park, Sydney.

The product included in this EPD and its strength grade is shown below. The product composition is presented in Table 1. For reasons of confidentiality, a range is provided.

| Product    | Strength grade | Density                 |
|------------|----------------|-------------------------|
| ZS3220-641 | 32 MPa         | 2 380 kg/m <sup>3</sup> |



**Table 1: Product content**

| Ingredient                          | Proportion<br>(% m/m) | Post-consumer material,<br>weight (%) | Renewable material,<br>weight (%) |
|-------------------------------------|-----------------------|---------------------------------------|-----------------------------------|
| General Purpose Cement <sup>‡</sup> | 7-21%                 | 0%                                    | 0%                                |
| Fly Ash <sup>†</sup>                | 1-6%                  | 0%                                    | 0%                                |
| Slag (GGBFS) <sup>†</sup>           | 0-7%                  | 0%                                    | 0%                                |
| Coarse aggregates <sup>†</sup>      | 40-47%                | 0%                                    | 0%                                |
| Manufactured sand <sup>†</sup>      | 0-9%                  | 0%                                    | 0%                                |
| Natural sand <sup>†</sup>           | 21-34%                | 0%                                    | 0%                                |
| Admixtures                          | <0.3%                 | 0%                                    | 0%                                |
| Water                               | 7-9%                  | 0%                                    | 0%                                |

<sup>‡</sup> Cement in concrete contains traces of Chromium VI (hexavalent).

<sup>†</sup> Crystalline-silica (quartz) may be a constituent of sand, crushed stone, gravel, blast furnace slag and fly ash used in any particular concrete mix.

Concrete products, as supplied, are non-hazardous. The product included in this EPD does not contain any substances of very high concern as defined by European REACH regulation\* in concentrations >0.1% (m/m). Dust from this product is classified as Hazardous according to the Approved Criteria for Classifying Hazardous Substances 3rd Edition (NOHSC 2004). Concrete products are classified as non-dangerous goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. When concrete products are cut, sawn, abraded or crushed, dust is created which contains crystalline silica, some of which may be respirable (particles small enough to go into the deep parts of the lung when breathed in), and which is hazardous. Exposure through inhalation should be avoided.

The product code for ready mixed concrete is UN CPC 375 (Articles of concrete, cement and plaster) and ANZSIC 20330 (Concrete – ready mixed – except dry mix).

\* Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

## Technical Compliance

Gunlake concrete products comply with relevant technical specifications as per AS 1379:2007 "Specification and supply of concrete", applicable legislation, regulations and industry standards plus project requirements.

G-Lab Materials Testing Pty Ltd is Gunlake's 100% owned in-house laboratory that is NATA accredited. G-lab drives the highest standards of concrete and quarry material performance.

## Declared unit

**"1 cubic metre (m<sup>3</sup>) of ready-mixed concrete, as ordered by our clients"**

# Scope of the Environmental Product Declaration

This EPD covers life cycle stages A1-A3, C1-C4 and D. This EPD covers the processes that occur in as many of the product's life cycle stages as could be effectively modelled. Stages A4, A5 and B1-B7 have not been included as these are better defined at building or structure level.

**Table 2: Scope of EPD**


| Stages                 | Product Stage |           |            | Construction Stage |              | Use Stage |             |        |             |               |                        |                       | End-of-life Stage         |           |                  |          | Benefits beyond system boundary      |
|------------------------|---------------|-----------|------------|--------------------|--------------|-----------|-------------|--------|-------------|---------------|------------------------|-----------------------|---------------------------|-----------|------------------|----------|--------------------------------------|
|                        | Raw Materials | Transport | Production | Transport          | Installation | Use       | Maintenance | Repair | Replacement | Refurbishment | Operational energy use | Operational water use | Deconstruction/Demolition | Transport | Waste Processing | Disposal | Reuse, recovery, recycling potential |
| Modules                | A1            | A2        | A3         | A4                 | A5           | B1        | B2          | B3     | B4          | B5            | B6                     | B7                    | C1                        | C2        | C3               | C4       | D                                    |
|                        |               |           |            | Scenario           |              | Scenario  |             |        |             |               |                        |                       | Scenario                  |           |                  |          | Scenario                             |
| Modules Declared       | ✓             | ✓         | ✓          | ND                 | ND           | ND        | ND          | ND     | ND          | ND            | ND                     | ND                    | ✓                         | ✓         | ✓                | ✓        | ✓                                    |
| Geography              | AU, JP        | AU        | AU         |                    |              |           |             |        |             |               |                        |                       | AU                        | AU        | AU               | AU       | AU                                   |
| Share of specific data | >90%*         |           |            |                    |              |           |             |        |             |               |                        |                       |                           |           |                  |          |                                      |
| Variation products     | 0% (n/a)      |           |            |                    |              |           |             |        |             |               |                        |                       |                           |           |                  |          |                                      |
| Variation sites        | 0% (n/a)      |           |            |                    |              |           |             |        |             |               |                        |                       |                           |           |                  |          |                                      |

✓ = module is included in this study

ND = module is not declared. When a module is not accounted for, the stage is marked with "ND" (Not Declared). ND is used when we cannot define a typical scenario.

\* The share of specific data is high because we received specific data from our cement supplier.

**Figure 3 – Flow diagram of main ready-mixed concrete production processes, life cycle stages and visualization of system boundaries**



## Product Stage (A1-A3)

### Raw Materials – Module A1

Extraction and processing of raw materials results in environmental impacts from the use of energy and resources, as well as from process emissions and waste.

- Cement is mainly produced from clinker (made from limestone) and gypsum.
- Aggregates are extracted from quarries. (Coarse aggregates and manufactured sand are sourced from Gunlake's Marulan Quarry.)
- Supplementary Cementitious Materials (SCM): Fly ash, GGBFS (ground granulated blast furnace slag) and silica fume are rest products from electricity generation, steel production, and (ferro)silicon production, respectively.
- Admixtures are specialised chemical formulations that are typically produced by blending selected ingredients.

### Transportation – Module A2

Raw materials are typically transported from suppliers to our site via (articulated) trucks. Transport of raw materials has been included in the LCA based upon actual transport modes and distances relevant to our site in Prestons.

### Manufacturing – Module A3

Ready-mixed concrete products are manufactured by mixing the concrete constituents in carefully dosed quantities to achieve desired engineering properties.

The “**Construction process stage**” and “**Use stage**” have been excluded from the life cycle assessment, as the ready-mixed concrete can be used for a range of different applications for which the use scenarios are unknown. The impacts of these stages are best determined at project level.



## End of life stage (C1-C4)

**The end-of-life modules for Ready-Mixed concrete are based on generic scenarios. The scenarios included are currently in use and are representative for one of the most probable alternatives.**

Module C1 covers demolition of the concrete at the end of its service life. For concrete produced in Prestons, we have used the end-of-life scenario representative for NSW building & demolition materials products based on the National Waste Report 2022 (NWR 2022). This scenario implies that 79.6% of the concrete is recycled and the remaining 20.4% of the concrete is sent to landfill.

Module C2 comprises the transport from the demolition site to a recycling centre or landfill site (50km). Module C3 encompasses the recycling process (i.e. crushing of concrete), while Module C4 represents disposal of concrete in a landfill site.

The concrete reaches end-of-waste status when it is crushed and stockpiled as “recycled crushed concrete” (RCC) aggregates.

We have modelled a single scenario for concrete with a density of 2,400 kg/m<sup>3</sup>. This is a conservative value for the concrete mixes covered by Gunlake’s EPDs. The impact of this simplification is much smaller than the impact of the scenario and data assumptions applied to the end-of-life modules.

Due to high uncertainty in the parameters and lack of data, CO<sub>2</sub>-uptake (carbonation) has not been included at end-of-life.

## Resource recovery stage (D)

Module D includes any benefits and loads from net flows leaving the product system (that have passed the end-of-waste state). For this EPD, any material collected for recycling and processed in Module C3, is considered to go through to Module D. We have assumed that Recycled Crushed Concrete aggregates (the output of module C3) replace virgin aggregates (crushed rocks) in module D.

Per cubic metre of concrete, module D credits the avoided impacts for 1.91 tonnes of crushed aggregates.

**Table 3: End-of-life scenario parameters**

| Processes                                                   | Quantity per m <sup>3</sup> of concrete | Unit                                         |
|-------------------------------------------------------------|-----------------------------------------|----------------------------------------------|
| Collection process specified by type                        | 2,400                                   | kg collected separately                      |
|                                                             | 0                                       | kg collected with mixed construction waste   |
| Transport from demolition site to recovery / disposal sites | 50                                      | km transport                                 |
| Recovery system specified by type                           | 0                                       | kg for re-use                                |
|                                                             | 1,910                                   | kg for recycling                             |
|                                                             | 0                                       | kg for energy recovery                       |
| Disposal to landfill                                        | 490                                     | kg product or material for final deposition  |
| Assumptions for scenario development                        | 145                                     | MJ of diesel for the demolition process (C1) |

# Life Cycle Assessment (LCA) Methodology

## Background Data

Gunlake Concrete has collected and supplied the primary data for the ready-mixed concrete LCA based on the FY21 reporting period (1 July 2020 – 30 June 2021). The mix design, which has the greatest influence on the EPD results, is current (at time of publication). Gunlake Quarries provided data for the coarse aggregates and manufactured sand that they supply to Gunlake Concrete. Background data is predominantly sourced from AusLCI and the AusLCI shadow database v1.42 (AusLCI 2023). Data for admixtures has been sourced from EPDs published by EFCA (EFCA 2021a, 2021b, 2023). As a result, the vast majority of the environmental profile of our products is based on life cycle data less than five years old.

Background data used is less than 10 years old. Methodological choices have been applied in line with EN 15804:2012+A2:2019; deviations have been recorded.

## Key assumptions

- The concrete composition of each product is provided by Gunlake and has been accepted as is.
- Our supplier has provided information on their cement (including cement clinker) production process. We have adjusted the generic AusLCI data for cement and clinker production accordingly.
- Additional environmental impact indicators are not declared in the admixture EPDs, which results in underreporting of these indicators.
- Allocation approaches may have a material effect on concrete products containing fly ash, silica fume and/or ground granulated blast furnace slag.
- Electricity has been modelled for core processes using adjusted AusLCI data to represent the estimated residual electricity grid mix in NSW, Australia. This is done by removing renewables from the Australian Energy Statistics 2024 data (Table O2). The GWP-GHG of the electricity is 0.89 kg CO<sub>2</sub>e / kWh. The proxy residual grid mix is made up of black coal (94.0%), natural gas (5.2%), and oil products (0.8%). Given the low contribution of electricity consumption to the GWP emissions, the selection of the electricity grid mix does not have a material impact on the results.

- The end-of-life scenario is based on landfill and recycling rates for masonry products in New South Wales, as per the National Waste Report 2022 (NWR 2022).

## Allocation

The key processes that require allocation are:

- Production of concrete mixes: All shared processes are attributed to concrete products based on their volume.
- Fly ash: all environmental impacts of the power plant have been allocated to the main product: electricity, fly ash has only received the burdens of the transport to our site.
- Blast Furnace Slag (BFS): BFS is a by-product from steelmaking. We have used the AusLCI data for BFS ('Blast Furnace Slag allocation, at steel plant / AU U'), which contain impacts from pig iron production allocated to blast furnace slag using economic allocation.
- Silica fume: silica-fume is a by-product of silicon metal or ferrosilicon alloys production. Economic allocation is used to attribute impacts between silica fume and ferrosilicon production.
- Aggregates: Coarse aggregates and manufactured sand are produced through crushing of rock, which is graded in different sizes. The energy required for the crushing and screening does not differentiate from products. Therefore, impacts are allocated to products, based on the mass. In effect, all aggregates have the same environmental profile.

## Cut-off criteria

- The cut-off criteria applied are 1% of renewable and non-renewable primary energy usage, 1% of the total mass input of a process and 1% of environmental impacts.
- The contribution of capital goods (production equipment and infrastructure) and personnel is excluded from the foreground and background data, as these processes are non-attributable and they contribute less than 10% to GWP-GHG.

## Life Cycle Assessment (LCA) indicators

An LCA serves as the foundation for this EPD. An LCA analyses the production systems of a product. It provides comprehensive evaluations of all upstream and downstream energy inputs and outputs. The results are provided in a form which covers a range of environmental impact categories.

**Table 4: Environmental indicators legend (EN 15804+A2)**

| Core indicators                                           | Acronym                   | Unit                                     |
|-----------------------------------------------------------|---------------------------|------------------------------------------|
| Climate change – total                                    | GWP-total                 | kg CO <sub>2</sub> equivalent            |
| Climate change – fossil                                   | GWP-fossil                | kg CO <sub>2</sub> equivalent            |
| Climate change – biogenic                                 | GWP-biogenic              | kg CO <sub>2</sub> equivalent            |
| Climate change – land use and land use change             | GWP-luluc                 | kg CO <sub>2</sub> equivalent            |
| Ozone layer depletion                                     | ODP                       | kg CFC-11 equivalent                     |
| Acidification                                             | AP                        | mol H <sup>+</sup> equivalent            |
| Eutrophication aquatic freshwater                         | EP-freshwater             | kg P equivalent                          |
| Eutrophication aquatic marine                             | EP-marine                 | kg N equivalent                          |
| Eutrophication terrestrial                                | EP-terrestrial            | mol N equivalent                         |
| Photochemical ozone formation                             | POCP                      | kg NMVOC equivalent                      |
| Abiotic depletion potential – elements <sup>2</sup>       | ADP minerals & metals     | kg Sb equivalent                         |
| Abiotic depletion potential – fossil fuels <sup>2</sup>   | ADP fossil                | MJ, net calorific value                  |
| Water use <sup>2</sup>                                    | WDP                       | m <sup>3</sup> world equivalent deprived |
| Additional indicators                                     | Acronym                   | Unit                                     |
| Global Warming Potential – Greenhouse gases               | GWP-GHG                   | kg CO <sub>2</sub> equivalent            |
| Particulate matter emissions                              | PM                        | disease incidence                        |
| Ionising radiation, human health <sup>1</sup>             | IRP                       | kBq U235 equivalent                      |
| Ecotoxicity (freshwater) <sup>2</sup>                     | ETP-fw                    | CTUe                                     |
| Human toxicity, cancer effects <sup>2</sup>               | HTP-c                     | CTUh                                     |
| Human toxicity, non-cancer effects <sup>2</sup>           | HTP-nc                    | CTUh                                     |
| Land use related impacts / soil quality <sup>2</sup>      | SQP                       | - (dimensionless)                        |
| Additional GHG indicator                                  | Acronym                   | Unit                                     |
| <b>Carbon footprint in line with IPCC AR5<sup>3</sup></b> | <b>GWP-GHG (IPCC AR5)</b> | <b>kg CO<sub>2</sub> eq</b>              |

<sup>1</sup> This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and some construction materials, is also not measured by this indicator.

<sup>2</sup> The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.

<sup>3</sup> **Note regarding various GWP indicators:** GWP-total is calculated using the European Union's Joint Research Centre's characterisation factors (CFs) based on the "EF 3.1 package" for CFs to be used in the EU's Product Environmental Footprint (PEF) framework. CFs listed by JRC are based on the IPCC AR6 method (IPCC 2021) and include indirect radiative forcing, which results in higher numerical Global Warming Potential (GWP) values than the CFs in the internationally accepted (IPCC 2013). The GWP-GHG indicator is identical to GWP-total except that the CFs for biogenic CO<sub>2</sub> are set to zero. The GWP-GHG indicator in PCR 2019:14 v1.3.4 differs from the GWP-GHG in earlier (pre v1.3) PCR 2019:14 versions. The "GWP-GHG (IPCC AR5)" indicator is determined using the IPCC AR5 GWPs with a 100-year time horizon (IPCC 2013). This indicator is aligned with Australia's greenhouse gas reporting frameworks.

**Table 5: Legend for parameters describing resource use, waste and output flows**

| Parameter                                                                                                  | Acronym | Unit              |
|------------------------------------------------------------------------------------------------------------|---------|-------------------|
| <b>Parameters describing resource use</b>                                                                  |         |                   |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials         | PERE    | MJ <sub>NCV</sub> |
| Use of renewable primary energy resources used as raw materials                                            | PERM    | MJ <sub>NCV</sub> |
| Total use of renewable primary energy resources                                                            | PERT    | MJ <sub>NCV</sub> |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials | PENRE   | MJ <sub>NCV</sub> |
| Use of non-renewable primary energy resources used as raw materials                                        | PENRM   | MJ <sub>NCV</sub> |
| Total use of non-renewable primary energy resources                                                        | PENRT   | MJ <sub>NCV</sub> |
| Use of secondary material                                                                                  | SM      | kg                |
| Use of renewable secondary fuels                                                                           | RSF     | MJ <sub>NCV</sub> |
| Use of non-renewable secondary fuels                                                                       | NRSF    | MJ <sub>NCV</sub> |
| Use of net fresh water                                                                                     | FW      | m <sup>3</sup>    |
| <b>Waste categories</b>                                                                                    |         |                   |
| Hazardous waste disposed                                                                                   | HWD     | kg                |
| Non-Hazardous waste disposed                                                                               | NHWD    | kg                |
| Radioactive waste disposed                                                                                 | RWD     | kg                |
| <b>Output flows</b>                                                                                        |         |                   |
| Components for re-use                                                                                      | CRU     | kg                |
| Materials for recycling                                                                                    | MFR     | kg                |
| Materials for energy recovery                                                                              | MER     | kg                |
| Exported energy                                                                                            | EE      | MJ                |

**Table 6: Legend for EN 15804+A1 indicators**

| Indicator                                                        | Acronym | Unit                                        |
|------------------------------------------------------------------|---------|---------------------------------------------|
| Global warming potential                                         | GWP     | kg CO <sub>2</sub> equivalent               |
| Ozone layer depletion potential                                  | ODP     | kg CFC-11 equivalent                        |
| Acidification potential                                          | AP      | kg SO <sub>2</sub> equivalent               |
| Eutrophication potential                                         | EP      | kg PO <sub>4</sub> <sup>3-</sup> equivalent |
| Photochemical oxidation (Photochemical ozone creation) potential | POCP    | kg ethylene equivalent                      |
| Abiotic depletion potential - elements                           | ADPE    | kg Sb equivalent                            |
| Abiotic depletion potential – fossil fuels                       | ADPF    | MJ <sub>NCV</sub>                           |

## Results: Environmental profiles

The following section presents the results for each Life Cycle Assessment module. The results have been calculated with SimaPro software v9.6.0.1.

Please consider the following mandatory statements when interpreting the results:

***"The estimated impact results are only relative statements, which do not indicate the endpoints of the impact categories, exceeding threshold values, safety margins and/or risks."***

*"The use of the results of modules A1-A3 (A1-A5 for services) without considering the results of module C is discouraged."*

## ZS3220-641



The environmental indicators of each product are expressed per m<sup>3</sup>.

**Table 7: Environmental indicators EN 15804+A2, ZS3220-641 ready-mixed concrete, per m<sup>3</sup>**

| Environmental Indicator                      | Unit                              | Module A1-A3 | Module C1 | Module C2 | Module C3 | Module C4 | Module D  |
|----------------------------------------------|-----------------------------------|--------------|-----------|-----------|-----------|-----------|-----------|
| <b>GWP-total</b>                             | kg CO <sub>2</sub> -eq.           | 3.65E+02     | 1.22E+01  | 1.54E+01  | 7.85E+00  | 1.16E+00  | -1.39E+01 |
| <b>GWP-fossil</b>                            | kg CO <sub>2</sub> -eq.           | 3.65E+02     | 1.22E+01  | 1.54E+01  | 7.84E+00  | 1.16E+00  | -1.39E+01 |
| <b>GWP-biogenic</b>                          | kg CO <sub>2</sub> -eq.           | 9.49E-02     | 8.43E-04  | 9.50E-04  | 7.47E-03  | 9.37E-05  | -2.13E-02 |
| <b>GWP-luluc</b>                             | kg CO <sub>2</sub> -eq.           | 3.34E-03     | 6.09E-06  | 7.26E-06  | 3.63E-06  | 5.63E-07  | -4.35E-06 |
| <b>ODP</b>                                   | kg CFC11-eq.                      | 1.18E-05     | 2.03E-06  | 2.42E-06  | 9.90E-07  | 1.90E-07  | -1.16E-06 |
| <b>AP</b>                                    | mol H <sup>+</sup> eq.            | 2.05E+00     | 1.40E-01  | 1.35E-01  | 2.16E-02  | 2.77E-03  | -1.17E-01 |
| <b>EP-freshwater</b>                         | kg P eq.                          | 9.00E-04     | 1.69E-06  | 9.23E-07  | 5.81E-06  | 1.58E-07  | -1.56E-05 |
| <b>EP-marine</b>                             | kg N eq.                          | 6.12E-01     | 6.08E-02  | 4.25E-02  | 3.84E-03  | 4.99E-04  | -3.83E-02 |
| <b>EP-terrestrial</b>                        | mol N eq.                         | 6.84E+00     | 6.67E-01  | 4.66E-01  | 4.19E-02  | 5.46E-03  | -4.38E-01 |
| <b>POCP</b>                                  | kg NMVOC eq.                      | 1.67E+00     | 1.78E-01  | 1.13E-01  | 1.12E-02  | 1.47E-03  | -1.11E-01 |
| <b>ADP minerals &amp; metals<sup>2</sup></b> | kg Sb eq.                         | 2.89E-06     | 1.50E-08  | 1.78E-08  | 1.95E-06  | 1.36E-09  | -1.01E-06 |
| <b>ADP fossil<sup>2</sup></b>                | MJ (NCV)                          | 2.37E+03     | 1.77E+02  | 2.11E+02  | 1.12E+02  | 1.65E+01  | -1.68E+02 |
| <b>WDP</b>                                   | m <sup>3</sup> world eq. deprived | 1.60E+02     | 1.12E+00  | 1.33E+00  | 1.15E+00  | 1.04E-01  | -1.63E+00 |
| <b>Additional indicators</b>                 |                                   |              |           |           |           |           |           |
| <b>GWP-GHG</b>                               | kg CO <sub>2</sub> -eq.           | 3.65E+02     | 1.22E+01  | 1.54E+01  | 7.84E+00  | 1.16E+00  | 0.00E+00  |
| <b>PM</b>                                    | Disease incidence                 | 7.25E-06     | 3.70E-06  | 7.60E-07  | 1.44E-07  | 1.47E-08  | 0.00E+00  |
| <b>IRP<sup>1</sup></b>                       | kBq U235 eq.                      | 3.62E+00     | 2.59E-04  | 3.08E-04  | 1.58E-03  | 2.40E-05  | -1.39E+01 |
| <b>ETP-fw<sup>2</sup></b>                    | CTUe                              | 2.64E+02     | 3.93E+01  | 4.66E+01  | 1.93E+01  | 3.60E+00  | -2.24E-06 |
| <b>HTP-c<sup>2</sup></b>                     | CTUh                              | 2.87E-08     | 4.92E-10  | 6.59E-11  | 1.64E-10  | 9.18E-12  | -2.34E-04 |
| <b>HTP-nc<sup>2</sup></b>                    | CTUh                              | 1.17E-06     | 2.62E-09  | 1.26E-09  | 1.07E-09  | 1.11E-10  | -2.47E+01 |
| <b>SQP<sup>2</sup></b>                       | -                                 | 3.65E+02     | 8.52E-01  | 9.47E-01  | 2.13E+04  | 2.73E+01  | -5.69E-10 |
| <b>Carbon footprint</b>                      |                                   |              |           |           |           |           |           |
| <b>GWP-GHG (IPCC AR5)</b>                    | <b>kg CO<sub>2</sub> eq</b>       | 3.65E+02     | 12.2      | 15.4      | 7.85      | 1.16      | -13.9     |

**Table 8: EN 15804+A2 parameters, ZS3220-641 ready-mixed concrete, per m<sup>3</sup>**

| Parameter    | Unit              | Module A1-A3 | Module C1 | Module C2 | Module C3 | Module C4 | Module D  |
|--------------|-------------------|--------------|-----------|-----------|-----------|-----------|-----------|
| <b>PERE</b>  | MJ <sub>NCV</sub> | 3.76E+01     | 2.75E-01  | 3.03E-01  | 1.93E+00  | 3.23E-02  | -6.30E+00 |
| <b>PERM</b>  | MJ <sub>NCV</sub> | 2.76E-01     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |
| <b>PERT</b>  | MJ <sub>NCV</sub> | 3.78E+01     | 2.75E-01  | 3.03E-01  | 1.93E+00  | 3.23E-02  | -6.30E+00 |
| <b>PENRE</b> | MJ <sub>NCV</sub> | 2.36E+03     | 1.77E+02  | 2.11E+02  | 1.12E+02  | 1.65E+01  | -1.68E+02 |
| <b>PENRM</b> | MJ <sub>NCV</sub> | 9.69E+00     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |
| <b>PENRT</b> | MJ <sub>NCV</sub> | 2.37E+03     | 1.77E+02  | 2.11E+02  | 1.12E+02  | 1.65E+01  | -1.68E+02 |
| <b>SM</b>    | kg                | 4.66E+01     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |
| <b>RSF</b>   | MJ <sub>NCV</sub> | 0.00E+00     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |
| <b>NRSF</b>  | MJ <sub>NCV</sub> | 0.00E+00     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |
| <b>FW</b>    | m <sup>3</sup>    | 3.56E+00     | 2.57E-02  | 3.06E-02  | 3.98E-02  | 2.39E-03  | -2.19E-01 |
| <b>HWD</b>   | kg                | 4.45E-08     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |
| <b>NHWD</b>  | kg                | 1.57E+00     | 8.13E-04  | 8.96E-04  | 5.47E-03  | 4.90E+02  | -4.69E-02 |
| <b>RWD</b>   | kg                | 2.00E-03     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |
| <b>CRU</b>   | kg                | 0.00E+00     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |
| <b>MFR</b>   | kg                | 3.26E+01     | 0.00E+00  | 0.00E+00  | 1.91E+03  | 0.00E+00  | 0.00E+00  |
| <b>MER</b>   | kg                | 0.00E+00     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |
| <b>EE</b>    | MJ                | 0.00E+00     | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  | 0.00E+00  |

**Table 9: EN 15804+A1 indicators, ZS3220-641 ready-mixed concrete, per m<sup>3</sup>**

| Environmental Indicator | Unit                                | Module A1-A3 | Module C1 | Module C2 | Module C3 | Module C4 | Module D  |
|-------------------------|-------------------------------------|--------------|-----------|-----------|-----------|-----------|-----------|
| <b>GWP</b>              | kg CO <sub>2</sub> eq               | 3.65E+02     | 1.22E+01  | 1.53E+01  | 7.82E+00  | 1.16E+00  | -1.40E+01 |
| <b>ODP</b>              | kg CFC11 eq                         | 9.47E-06     | 1.60E-06  | 1.91E-06  | 7.82E-07  | 1.50E-07  | -9.20E-07 |
| <b>AP</b>               | kg SO <sub>2</sub> eq               | 1.46E+00     | 9.93E-02  | 7.48E-02  | 1.36E-02  | 2.23E-03  | -6.60E-02 |
| <b>EP</b>               | kg PO <sub>4</sub> <sup>3-</sup> eq | 2.15E-01     | 2.04E-02  | 1.43E-02  | 1.34E-03  | 1.72E-04  | -1.50E-02 |
| <b>POCP</b>             | kg C <sub>2</sub> H <sub>4</sub> eq | 6.37E-02     | 9.74E-03  | 4.83E-03  | 7.61E-04  | 1.11E-04  | -5.43E-03 |
| <b>ADPE</b>             | kg Sb eq                            | 9.24E-06     | 1.52E-08  | 1.80E-08  | 1.95E-06  | 1.39E-09  | -1.02E-06 |
| <b>ADPF</b>             | MJ <sub>NCV</sub>                   | 2.27E+03     | 1.77E+02  | 2.11E+02  | 1.12E+02  | 1.65E+01  | -1.68E+02 |

*Note: the indicators and characterisation methods are from EN 15804:2012+A1:2013, but other LCA rules (system boundaries, allocation, etc.) are according to EN 15804:2012+A2:2019; i.e., the results of the “A1 indicators” shall not be claimed to be compliant with EN 15804:2012+A1:2013*

## Additional information

### **Waste and Recycling**

Throughout Gunlake's operations some materials are re-used into our production processes, including concrete washout, which beneficially reuses materials that would otherwise require disposal.

### **Biodiversity Management**

Gunlake has established biodiversity offset land at its Marulan Quarry. These areas are managed in accordance with both NSW and Commonwealth requirements and have been established to provide long term protection and enhancement of habitat and ecological communities.

### **Community Investment**

Gunlake participates in numerous local community programs and events, including ongoing annual funding/grant commitments, community initiatives and memberships. Gunlake will continue to provide such community support and investment within the local and regional areas in which it operates.

## References

|                |                                                                                                                                                                                                                                                                                                                           |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AS 1379        | Specification and supply of concrete, prepared by Committee BD-049 Manufacture of Concrete, published on 20 September 2007 by Standards Australia, Sydney                                                                                                                                                                 |
| AusLCI 2023    | Australian Life Cycle Inventory database v1.42 published by the Australian Life Cycle Assessment Society, 2023                                                                                                                                                                                                            |
| ECHA 2023      | European Chemicals Association, Candidate List of substances of very high concern for Authorisation, published in accordance with Article 59(10) of the REACH Regulation, Helsinki<br>Accessed on 20 May 2025 from: <a href="https://echa.europa.eu/candidate-list-table">https://echa.europa.eu/candidate-list-table</a> |
| EFCA 2021a     | EPD of Retarders, IBU EPD Declaration number EPD-EFC-20210195-IBG1-EN, issued 2021-12-16, based on EN 15804 and PCR for concrete admixtures; EPD owner: EFCA - European Federation of Concrete Admixtures Associations                                                                                                    |
| EFCA 2021b     | EPD of Air Entrainers, IBU EPD Declaration number EPD-EFC-20210193-IBG1-EN, issued 2021-12-16, based on EN 15804 and PCR for concrete admixtures; EPD owner: EFCA - European Federation of Concrete Admixtures Associations                                                                                               |
| EFCA 2023      | EPD of Plasticizer and superplasticizer, IBU EPD Declaration number EPD-EFC-20210198-IBG2-EN, issued 2023-08-14, based on EN 15804 and PCR for concrete admixtures; EPD owner: EFCA - European Federation of Concrete Admixtures Associations                                                                             |
| Envirodec 2021 | International EPD System, General Programme Instructions for the International EPD System, Version 4.0, 29 March 2021                                                                                                                                                                                                     |
| Envirodec 2024 | c-PCR-003 Concrete and concrete elements (EN 16757:2022), Product category rules for concrete and concrete elements, version 30 April 2024                                                                                                                                                                                |
| EN 15804+A2    | EN 15804:2012+A2:2019/AC:2021, Sustainability of construction works – Environmental product declarations – Core rules for the product category of construction products, European Committee for Standardization (CEN), Brussels, August 2021                                                                              |
| EN 15804+A1    | Sustainability of construction works – Environmental product declarations – Core rules for the product category of construction products, European Committee for Standardization (CEN), Brussels, November 2013                                                                                                           |
| ISO 14025      | Environmental labels and declarations - Type III environmental declarations - Principles and procedures. International Organization for Standardization, Geneva, Switzerland, 2006                                                                                                                                        |
| ISO 14040      | Environmental management - Life cycle assessment - Principles and framework. International Organization for Standardization, Geneva, Switzerland, 2006                                                                                                                                                                    |
| ISO 14044      | Environmental management - Life cycle assessment - Requirements and guidelines. International Organization for Standardization, Geneva, Switzerland, 2006                                                                                                                                                                 |
| NGA 2024       | Department of Climate Change, Energy, the Environment and Water. Australian National Greenhouse Accounts Factors, Commonwealth of Australia, September 2024                                                                                                                                                               |
| NOHSC 2004     | Australian Government, National Occupational Health and Safety Commission (NOHSC), Approved Criteria for Classifying Hazardous Substances, 3rd Edition, October 2004                                                                                                                                                      |
| NWR 2022       | Blue Environment, National Waste Report 2022, prepared for The Department of Climate Change, Energy, the Environment and Water, Final version 1.2, 16 December 2022 (updated 10 February 2023)                                                                                                                            |
| PCR 2019:14    | Product category rules for Construction products (EN 15804:2012+A2:2019), registration number 2019:14, version 1.3.4, published on 30 April 2024.                                                                                                                                                                         |



## Contact information

1300 857 091

[www.gunlake.com.au](http://www.gunlake.com.au)

[info@gunlake.com.au](mailto:info@gunlake.com.au)

Prestons Plant:

14 Yarrunga St, Prestons  
NSW 2170, Australia



This publication provides general information only and is no substitute for professional engineering advice. No representations or warranties are made regarding the accuracy, completeness or relevance of the information provided. Users must make their own determination as to the suitability of this information or any Gunlake product for their specific circumstances. Gunlake accepts no liability for any loss or damage resulting from any reliance on the information provided in this publication.

© June 2025 Gunlake Concrete NSW Pty. Ltd. ABN 36 162 907 575. All rights reserved.