

DECLARATION

PLANET EARTH. TEST WE'RE QUARRYING FOR THE FUTURE

At Stevenson Aggregates, we recognise the importance of providing transparent and independently verified environmental impact information about our products.

An Environmental Product
Declaration (EPD) is a robust,
science-based, independently
verified and standardised
method for communicating the
environmental impacts of products.

This EPD groups the environmental impacts of Non-Spec Hardfill aggregate products from our Clevedon production site.

Our concrete aggregates are manufactured in accordance with NZS3121:2015. All other aggregates are manufactured to national or regional aggregate specifications or non-spec general products.

To create this EPD, we collected extensive data throughout the process of extracting and manufacturing our products. It is based on a cradle-to-gate Life Cycle Assessment (LCA). 'Cradle' refers to the raw material extraction and 'the gate' is the gate of Stevenson Aggregates where the product is ready to go out to customers.

As the EPD owner, Stevenson has the sole ownership, liability and reponsibility for the EPD.

An EPD is a standardised and verified way of quantifying the environmental impacts of a product based on a consistent set of rules known as a PCR (Product Category Rules).

EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804+A2:2019.

2 INTRODUCTION

Environmental Product Declaration

4 ABOUT

Stevenson Aggregates
Our commitment to sustainability

6 AGGREGATES

Location of our quarries
Product life cycle

R PRODUCTS

Products included in this EPD
Product composition

10 TECHNICAL INFORMATION

Declared Unit and Industry Classification
System Boundary
Lifecycle Inventory (LCI) Data and Assumptions
Introduction to Environmental Impact Indicators

- 16 RESULTS A1-A3
- **20** GLOSSARY AND REFERENCES
- 23 PROGRAMME-RELATED INFORMATION





STEVENSON AGGREGATES

Over a hundred years ago, three pioneers from the Stevenson family transformed their modest drainage business into the large reputable organisation that Stevenson is today. We're an experienced team of industry forerunners dedicated to cutting-edge technology and values that take care of our people, our communities, and our planet.

Stevenson has a strong community focus and a culture built on loyalty and determination. We are environmentally responsible and our team is committed to innovation, new technologies and processes to improve our products. By applying up-to-date processes in our quarrying, we can provide the best quality solutions for our customers and the environment.

After decades in the sector, we have gained valuable industry insights and knowledge. Now a division of the large infrastructure company Fulton Hogan, Stevenson continues to be a thriving and successful business.

The leadership team at Stevenson is made up of a group of experienced and well-informed industry experts who strive to build a culture of inclusiveness.

We make it a priority to invest and engage with our staff, and our values-led culture is a core part of the business. It contributes to the success of securing long-serving and loyal staff members. We have a strong focus on personal development and offer our people varied career opportunities and several leadership programmes.

Stevenson prides itself on being a good neighbour through connecting and partnering with the people in our local community. We work alongside our communities to make sure we are supporting both the people and the environment.

At Stevenson, we are excited about quarrying for the future. We deliver a range of high-quality aggregate solutions for use in large-scale roading and infrastructure projects and heavy-duty pavements throughout New Zealand.

OUR COMMITMENT TO SUSTAINABILITY

Reducing our impact on the environment is our priority at Stevenson Aggregates. We focus on new technologies and processes so we can provide the best quality solutions for our customers and the environment.

We work with ecological consultants to remove pest plants, weed infestations and eradicate pests. Pest control includes fencing, trapping and bait stations. Through these measures, we have seen an increase in the native bird population and native seedling germination across many of our sites, improving the local ecosystem.

At our largest site Drury, Stevenson Aggregates has planted approximately 85,500 eco-sourced native seedlings and is partway through an eight-year ecological restoration programme that provides critical habitat for native lizards, birds and insects.

Our goal is to reduce our carbon emissions and to support New Zealand in meeting obligations under the Paris Agreement. Our Environmental Product Declaration provides us with a baseline and we will continually measure ourselves against this to track our carbon-reduction performance.





ABOUT

WHERE WE PRODUCE OUR AGGREGATES

We have quarries in Bell Road, Clevedon, Drury, Poplar Lane, Tūākau, Tauhei and Waingaro.

This EPD covers Non-Spec Hardfill products from our production site in Clevedon.

QUALITY CONTROL

Our quality control process is rigorous. We undertake comprehensive testing and provide advice to our customers around the correct application of our aggregate products.

Stevenson Aggregates Ltd are accredited to ISO 9001 certified by Telarc, for the design, manufacture and delivery of quarry aggregates and bulk transport services.

Our production quality control systems comply with the quality assurance requirements.

Stevenson operates an IANZ accredited civil engineering laboratory, ensuring all of our products meet the appropriate Australian and New Zealand standards.






PRODUCT LIFE CYCLE

This is a 'cradle-to-gate' type EPD. This means that the extraction and processing of raw material supply, transport of the raw materials to production site, and manufacturing stages are modelled in this EPD. The construction process (modules A4-A5), use stages (B1-B7) and end-of-life (C1-C4 and D) are not modelled.

Figure 1: Product life cycle ready-mix concrete





INNOVATION

Our experienced team is committed to innovation and the aggregates industry. Stevenson is represented on a range of organisations including the Aggregate and Quarry Association (AQA) and various transport infrastructure committees.

PRODUCTS INCLUDED IN THIS EPD

The products reported in this EPD (see Table 1) are grouped by the processing stages required and the site it's produced at. This means that all products within a group will have similar physical attributes, inputs, and outputs, leading to less variation in results.

Table 1: Products included in this EPD

CLEVEDON	ACRONYM	PRODUCT NAME	CATEGORY
Non Coo Hordfill	Clay	Clay Stripping's	Hardfill
Non-Spec Hardfill	SPR	Soft Pit Run	Hardfill

PRODUCT COMPOSITION

According to the General Programme Instructions, the EPD shall include a content declaration with a list of materials and chemical substances including information on their hazardous properties. All aggregate products do not require any packaging.

Table 2: Material composition of Stevenson's aggregates

PRODUCT COMPONENTS	WEIGHT, KG	POST-CONSUMER RECYCLED MATERIAL, WEIGHT-%	BIOGENIC MATERIAL, WEIGHT-% AND KG C/KG
Crushed rock, sand, clay materials	1,000	0	0
Total	1,000	0	0

None of the materials in this EPD are on the Candidate List of substances of very high concern (SVHC), by the European REACH Regulation at a concentration greater than 0.1% by mass.

PRODUCT FUNCTION AND CATEGORY

Stevenson's aggregate products provide solutions for commercial, infrastructure, and residential use. Some of their functions include:



ROADING

Sealing chips, basecourses, sub-basecourses and subgrade aggregates manufactured for use in roads and heavy-duty pavements.



DRAINAGE

Permeable or blended aggregates in fine or coarse specifications for drainage or filter applications.



SAND

Sand and pumice aggregates produced in a range of specifications for use in a variety of applications including concrete manufacturing, sports turf and horticulture.



CONCRETE


Concrete aggregates manufactured for strength, superior particle shape, and consistency and workability.



SPECIALISED

Specialised products for use in landscaping, construction and infrastructure.

Made to Order product options available.



DECLARED UNIT

EPDs that do not cover the full product life cycle from raw material extraction through to end-of-life use the term "declared unit", rather than functional unit.

"Declared unit" will be used in the EPDs themselves and is defined as:

ONE TONNE (1 TONNE) OF PRODUCT.

INDUSTRY CLASSIFICATION

The UN CPC and ANZSIC codes applicable to Stevenson aggregate products in this EPD are shown in Table 3.

Table 3: The UN CPC and ANZSIC codes applicable to Stevenson aggregates

PRODUCT	CLASSIFICATION	CODE	CATEGORY
AGGREGATES	UN CPC Ver.2	15320	Pebbles, gravel, broken or crushed stone, macadam; granules, chippings and powder of stone
	UN CPC Ver.2	15310	Natural sands
	UN CPC Ver.2	15400	Clays
	ANZSIC 2006	0919	Aggregate quarrying
	ANZSIC 2006	0911	Sand quarrying, washing or screening
	ANZSIC 2006	0919	Clay quarrying

SYSTEM BOUNDARY

In Life Cycle Assessments (LCA), the system boundary is a line that divides the processes which are included from everything else. The system boundary of this EPD includes production 'cradle-to-gate', modules A1-A3.

The aggregate is physically integrated with other products during installation and cannot be physically separated from them at end of life. Aggregate does not contain biogenic carbon.

Table 4: Modules of the production life cycle incl. in the EPD (X = module declared; ND = module not declared)

		RODU STAG		USE STAGE					Е	END-OF-LIFE RECO		RECOVERY					
	Raw material supply	Transport of raw materials	Manufacturing	Transport to customer	Construction / Installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	Deconstruction / demolition	Transport to waste processing	Waste processing	Disposal	Future reuse, recycling or energy recovery potential
MODULE	A1	A2	АЗ	Α4	A5	В1	B2	ВЗ	В4	В5	В6	В7	Cl	C2	C3	С4	D
MODULE DECLARED	х	х	х	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
GEOGRAPHY	NZ	NZ	NZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPECIFIC DATA		>90%		-	-	-	-	-	-	-	-	-	-	-	-	-	-
VARIATION - PRODUCTS		0%		-	-	-	-	-	-	-	-	-	-	-	-	-	-
VARIATION - SITES		0%		-	-	-	-	-	-	-	-	-	-	-	-	-	-

PRODUCT STAGE

The product stage looks at the environmental impacts associated with manufacturing the aggregate products until it leaves the production site.



A1 - RAW MATERIAL SUPPLY

- Production and use of explosives and chemicals to prepare quarry site.
- Diesel used for extracting and transporting raw aggregate on site.

A2 - TRANSPORT

 Supply of explosives and chemicals used for extraction.


A3 - MANUFACTURING

- Electricity used for processing aggregates into final products.
- Washing of processed aggregates
- · Wastewater and dust.

Extracted aggregates undergo up to four stages of screening and crushing to produce varying sizes and grades of aggregate products. The final products are then washed and delivered to the customer without any packaging. Distribution is not included in this EPD.

Figure 2 below illustrates the productions stages A1-A3 and the processing steps leading to the final products.

Figure 2: Production stages A1 - A3, processsing steps and products.





LIFE CYCLE INVENTORY (LCI) **DATA AND ASSUMPTIONS**

Primary data provided is representative of the production of aggregates during 1 July 2021 - 30 June 2022 at the Clevedon production site. Background data for raw materials, energy, and transportation are all from the ecoinvent v3.10 database (Wernet, 2016) with reference years between 2020-2023. Both primary and background data fall within the EN 15804 and PCR requirements of 10 years for generic data and 5 years for producer specific data.

SOFTWARE AND DATABASE

The LCA was conducted in Microsoft Excel. The LCA utilises lifecycle inventory data from ecoinvent, Allocation, cut-off, EN15804, ecoinvent database version 3.10 (Wernet, 2016) for several of the raw and process materials obtained from the background system.

The ecoinvent datasets have not been adapted as they are provided in Excel and have not been used in conjunction with an LCA software. This includes capital goods and infrastructure as they are included in the background datasets provided by ecoinvent database for Excel and iwt is not possible to subtract them in Excel.



CUT OFF CRITERIA

Cut-off criteria is compliant with EN15804 6.3.5 and PCR 2019:14 (EPD International, 2024). For the processes within the system boundary, all available energy and material flow data have been included in the modelling. In cases where no matching life cycle inventories are available to represent a flow, proxy data have been applied based on conservative assumptions regarding environmental impacts.

The main raw materials are extracted from the quarries and do not have any packaging. Packaging for other raw materials is minimal and was excluded from the study.

ELECTRICITY

The composition of the residual electricity grid mix of New Zealand is modelled in LCA FE based on published data for the year 1st April 2021 - 31st March 2022 (BraveTrace, 2023). The New Zealand residual electricity mix is made up of hydro (56.6%), geothermal (19.7%) natural gas (12.5%), wind (6.55%), coal (4.25%), biomass (0.266%) and biogas (0.160%).

Onsite consumption (3.00%), and the medium voltage (1kV-60kV) grid's transmission and distribution losses (3.17%) are calculated based on data from the Ministry of Business, Innovation & Employment (MBIE, 2023).

The emission factor for the New Zealand residual grid mix for the GWP-GHG indicator is 0.156 kg CO₂e/kWh (based on EF3.1).

TRANSPORT

Raw materials used on site were all sourced within New Zealand and average distances from each supplier was calculated. Truck was used as the transport mode for all materials. The ecoinvent dataset used was transport, freight, lorry 7.5-16 metric ton, EURO3.

ALLOCATION

All primary data was collected at a site level and allocated to each relevant processing stage based on the production quantities. This includes data for electricity, diesel, explosive, flocculant, lubricant, and water. For products that require more than one processing stage, energy and materials used are accumulated from each previous stage.

Allocation of background data (energy and materials) taken from the ecoinvent databases is documented online at https://ecoquery.ecoinvent.org/3.10/ EN15804/search.

ENVIRONMENTAL IMPACT INDICATORS

An introduction the core environmental impact indicators is provided below. The best-known effect of each indicator is listed in the descriptions and the abbreviations, in brackets, correspond to the labels in the following results tables.



CLIMATE CHANGE (GLOBAL WARMING POTENTIAL)

(GWP-total, GWPf, GWPb, GWPluc)

A measure of greenhouse gas emissions, such as CO_2 and methane. These emissions are causing an increase in the absorption of radiation emitted by the earth, increasing the natural greenhouse effect. This may in turn have adverse impacts on ecosystem health, human health and material welfare. The Global Warming Potential (GWP) is split into three sub indicators: total (GWPt), fossil (GWPf), biogenic (GWPb), and land-use and land-use change (GWPluluc).



ACIDIFICATION POTENTIAL

(AP)

Acidification Potential is a measure of emissions that cause acidifying effects to the environment. A molecule's acidification potential indicates its capacity to increase the hydrogen ion (H+) concentration in the presence of water, thus decreasing the pH value. Potential effects include fish mortality, forest decline, and the deterioration of building materials.



PHOTOCHEMICAL OZONE FORMATION POTENTIAL

(POCP)

Photochemical Ozone Formation Potential gives an indication of the emissions from precursors that contribute to ground level smog formation, mainly ozone (03). Ground level ozone may be harmful to human health and ecosystems and may also damage crops. These emissions are produced by the reaction of volatile organic compounds (VOCs) and carbon monoxide in the presence of nitrogen oxides and UV light.



EUTROPHICATION POTENTIAL

(EP-fw, EP-fm, EP-tr)

Eutrophication covers all potential impacts of excessively high levels of macronutrients, the most important of which are nitrogen (N) and phosphorus (P). In aquatic ecosystems where this term is mostly applied, this typically describes a degradation in water quality. Eutrophication can result in an undesirable change in the type of species that flourish and an increase the production of biomass. As the decomposition of biomass consumes oxygen, eutrophication may decrease the available oxygen level in the water column and threaten fish in their ability to respire.



I

ABIOTIC RESOURCE DEPLETION

(ADP-mm, ADPf)

The consumption of non-renewable resources decreases the availability of these resources and their associated functions in the future. Depletion of mineral resources and non-renewable energy resources are reported separately. Depletion of mineral resources is assessed based on total reserves.



OZONE DEPLETION POTENTIAL

(ODP)

Depletion of the ozone leads to higher levels of UVB ultraviolet rays reaching the earth's surface with detrimental effects on humans and plants. The Ozone Depletion Potential is a measure of air emissions that contribute to the depletion of the stratospheric ozone layer.



WATER USE

(MDb)

Water scarcity is a measure of the stress on a region due to water consumption.



EN15804+A2 CORE ENVIRONMENTAL IMPACT INDICATORS

The estimated impact results are only relative statements, which do not indicate the endpoints of the impact categories, exceeding threshold values, safety margins and/or risks. The EN 15804 reference package based on EF 3.1 is used.

Table 5: Environmental impact (EN15804+A2) covering modules A1-A3

EN15804+A2 - ENVIRONMENTAL INDICATORS						
ABBR.	UNIT	A1-A3				
GWP-total	kg CO₂-eq.	5.76				
GWP-fossil	kg CO₂-eq.	5.76				
GWP-biogenic	kg CO₂-eq.	7.57E-04				
GWP-Iuluc	kg CO₂-eq.	6.24E-04				
ODP	kg CFC 11-eq.	1.34E-07				
AP	Mole of H+ eq.	0.0478				
EP-fw	kg P eq.	1.87E-04				
EP-fm	kg N eq.	0.0209				
EP-tr	Mole of N eq.	0.228				
POCP	kg NMVOC eq.	0.0742				
ADP-mm	kg Sb-eq.	2.42E-06				
ADP-fossil	MJ	122				
WDP	m³ world equiv.	0.248				
	GWP-total GWP-fossil GWP-biogenic GWP-luluc ODP AP EP-fw EP-fr POCP ADP-mm ADP-fossil	GWP-total kg CO₂-eq. GWP-fossil kg CO₂-eq. GWP-biogenic kg CO₂-eq. GWP-luluc kg CO₂-eq. ODP kg CFC 11-eq. AP Mole of H+ eq. EP-fw kg P eq. EP-fm kg N eq. EP-tr Mole of N eq. POCP kg NMVOC eq. ADP-mm kg Sb-eq.				

^{*}The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.

[^]The results of the impact category abiotic depletion of minerals and metals, may be highly uncertain in LCAs that include capital goods/infrastructure in generic datasets, in case infrastructure/capital goods contribute greatly to the total results. This is because the LCI data of infrastructure/capital goods used to quantify these indicators in currently available generic datasets sometimes lack temporal, technological and geographical representativeness. Caution should be exercised when using the results of these indicators for decision-making purposes.



ADDITIONAL ENVIRONMENTAL IMPACT **INDICATORS**

Optional environmental impact categories provide further information on environmental impacts.

Table 6: Additional environmental impact indicators covering modules A1-A3

EN15804+A2 - ADDITIONAL ENVIRONMENT INDICATORS		PRODUCT STAGE	
INDICATOR	ABBR.	UNIT	A1-A3
Climate Change ^	GWP-GHG	kg CO₂-eq.	5.76
Respiratory inorganics	PM	Disease incidences	0.00143
Ionising Radiation - human health ~	IRP	kBq U235 eq.	0.0395
Eco-toxicity (freshwater) °	ETP-fw	CTUh	12.6
Human Toxicity, cancer *°	HTPc	CTUh	2.27E-08
Human Toxicity, non-cancer *°	HTPnc	CTUh	1.33E-08
Land use related impacts / soil quality *°	SQP	Dimensionless	1,330

^{*}The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.

RESOURCE USE INDICATORS

The resource use indicators describe the use of renewable and non-renewable material resources, renewable and non-renewable primary energy and water.

Table 7: Resource use impact indicators covering modules A1-A3

INVENTORY INDICATORS - RESOURCE USE		PRODUCT STAGE	
INDICATOR	ABBR.	UNIT	A1-A3
Renewable primary energy as energy carrier	PERE	MJ	0.521
Renewable primary energy resources as material utilization	PERM	МЈ	0
Total use of renewable primary energy resources	PERT	MJ	0.521
Non-renewable primary energy as energy carrier	PENRE	MJ	73.7
Non-renewable primary energy as material utilization	PENRM	MJ	48.5
Total use of non-renewable primary energy resources	PENRT	MJ	122
Use of secondary material	SM	kg	0.0312
Use of renewable secondary fuels	RSF	MJ	7.98E-05
Use of non-renewable secondary fuels	NRSF	MJ	0
Use of net fresh water	FW	m³	0.0296

[^] This indicator is calculated using the characterisation factors from the IPCC AR5 report (IPCC 2013) and has been included in the EPD following the PCR.

[~]This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and some construction materials, is also not measured by this indicator.

 $^{^{\}circ}\,\mbox{The results}$ of the impact categories land use, human toxicity (cancer), human toxicity, noncancer and ecotoxicity (freshwater) may be highly uncertain in LCAs that include capital goods/infrastructure in generic datasets, in case infrastructure/capital goods contribute greatly to the total results. This is because the LCI data of infrastructure/capital goods used to quantify these indicators in currently available generic datasets sometimes lack temporal, technological and geographical representativeness. Caution should be exercised when using the results of these indicators for decision-making purposes.

WASTE MATERIAL AND OUTPUT FLOW INDICATORS

Waste indicators describe waste generated within the life cycle of the product. Waste is categorised by hazard class, end-of-life fate and exported energy content.

Table 8: Waste categories and output flow indicators covering modules A1-A3

INVENTORY INDICATORS - WASTE MATERIAL AND OUTPUT FLOW						
ABBR.	UNIT	A1-A3				
HWD	kg	0.0915				
NHWD	kg	1.23				
RWD	kg	9.62E-06				
CRU	kg	0				
MFR	kg	2.55E-04				
MER	kg	1.24E-06				
EEE	MJ	0.00361				
EET	MJ	0.00191				
	ABBR. HWD NHWD RWD CRU MFR MER EEE	ABBR. UNIT HWD kg NHWD kg RWD kg CRU kg MFR kg MER kg EEE MJ				

BIOGENIC CARBON CONTENT

1 kg biogenic carbon is equivalent to 44/12 kg CO₂.

Table 9: Biogenic carbon content covering modules A1-A3

INVENTORY INDICATORS - BIOGENIC C CONTENT	PRODUCT STAGE		
INDICATOR	ABBR.	UNIT	A1-A3
Biogenic carbon content - product	BCC-prod	kg	0
Biogenic carbon content - packaging	BCC-pack	kg	0







Life Cycle

A view of a product system as "consecutive and interlinked stages ... from raw material acquisition or generation from natural resources to final disposal" (ISO 14040:2006, section 3.1). This includes all material and energy inputs as well as emissions to air, land and water.

Life Cycle Assessment (LCA)

"Compilation and evaluation of the inputs, outputs and the potential environmental impacts of a product system throughout its life cycle" (ISO 14040:2006, section 3.2)

Life Cycle Inventory (LCI)

"Phase of life cycle assessment involving the compilation and quantification of inputs and outputs for a product throughout its life cycle" (ISO 14040:2006, section 3.3)

Environmental Product Declaration (EPD)

"Independently verified and registered document that communicates transparent and comparable information about the life-cycle environmental impact of products." (EPD Australasia Ltd, 2023)

Product Category Rule (PCR)

"Provide the rules, requirements, and guidelines for developing an EPD for a specific product category." (EPD International AB, 2024)

Functional / Declared Unit

"Quantified performance of a product system for use as a reference unit." (ISO 14040:2006, section 3.20)

Functional unit = LCA/EPD covers entire life cycle "cradle to grave".

Declared unit = LCA/EPD is not based on a full "cradle to grave" LCA, common in construction product EPDs.

"Partitioning the input or output flows of a process or a product system between the product system under study and one or more other product systems" (ISO 14040:2006, section 3.17)

CEN. (2019). EN 15804:2012+A2:2019 Sustainabiltiy of construciton works. Environmental product declarations. Core rules for the product category of construction products. Brussels: European Committee for

EPD Australasia. (2024). Instructions of the Australasian EPD Programme V4.2. Nelson: EPD Australasia Ltd.

EPD Australasia Ltd. (2023). What is an EPD? Retrieved from EPD Australasia: https://epd-australasia.com/what-is-an-epd/

EPD International. (2021). General Programme Instructions for the International EPD(r) System. Version 4.0, dated 2021-03-29. Stockholm: EPD International.

EPD International. (2024). PCR 2019:14 Construction Products version 1.3.4 of 2024-04-30. Stockholm: EPD International.

EPD International AB. (2024). The PCR. Retrieved from EPD International: https://www.environdec.com/product-category-rules-

IPCC. (2013). Climate Change 2013: The Physical Science Basis. Geneva,

ISO. (2006a). ISO 14040: Environmental management - Life cycle assessment - Principles and framework. Geneva: International Organization for Standardization.

ISO. (2006b). ISO 14044: Environmental management - Life cycle assessment - Requirements and quidelines. Geneva: International Organization for Standardization.

ISO. (2006c). ISO 14025: Environmental labels and declarations - Type III environmental declarations - Principles and procedures. Geneva: International Organization for Standardization.

Wernet, G. B.-R. (2016). The ecoinvent database version 3 (part I): overview and methodology. The International Journal of Life Cycle Assessment, 21(9)([online]), 1218-1230.

EPDs within the same product category but registered in different EPD programmes, or not compliant with EN 15804, may not be comparable. For two EPDs to be comparable, they must be based on the same PCR (including the same version number) or be based on fully-aligned identical functions, technical performances and use (e.g. identical declared/functional units); have equivalent system boundaries and descriptions of data; apply equivalent data quality requirements, methods of data collection, and allocation methods; apply identical cut-off rules and impact assessment methods (including the same version of characterisation factors); have equivalent content see EN 15804 and ISO 14025. 22 ENVIRONMENTAL PRODUCT DECLARATION | Ready-mix concrete

PROGRAMME-RELATED INFORMATION AND VERIFICATION

DECLARATION OWNER		Stevenson	STEVENSON
	Post:	Private Bag 94000, Manukau City Auckland, 2241, New Zealand	
	Web:	stevenson.co.nz	
	Email:	action@stevenson.co.nz	
GEOGRAPHICAL SCOPE		New Zealand	
REFERENCE YEAR		2021-07-01 to 2022-06-30	
EPD PRODUCED BY		thinkstep pty ltd	
		Barbara Nebel Nna Meron	thinkstep anz
		Edwin Chu	
	Post:	11 Rawhiti Road, Pukerua Bay, 5026 Wellington, New Zealand	
	Web:	thinkstep-anz.com	
	Email:	anz@thinkstep.com	
EPD PROGRAMME		The International EPD® System	
	Operator:	EPD International AB	EPD.
	Post:	EPD International AB, Box 210 60,	HE INTERNATIONAL EPD® SYSTEM
		SE-100 31 Stockholm, Sweden	
	Web:	www.environdec.com	
	Email:	info@environdec.com	
REGIONAL PROGRAMME		EPD Australasia Limited	E CDD®
	Post:	315a Hardy Street 7010 Nelson, New Zealand	ISTRALASIA EPD®
	Web:	www.epd-australasia.com	
	Email:	info@epd-australasia.com	
CEN STANDARD EN 15804+A2 S	ERVE AS 1	THE CORE PRODUCT CATEGORY RULES (PCR)	
PCR		PCR 2019:14 Construction Products version 1.3.4	
PCR REVIEW WAS CONDUCTED BY		The Technical Committee of the International EPD System. See www.environdec.com for a list of members.	
		Review Chair: Claudia A. Peña, University of Concepción, Chile.	
		The review panel may be contacted via the Secretariat www.er	nvirondec.com/contact.
INDEPENDENT VERIFICATION OF THE DECLARATION AND		EPD process certification (Internal)	
DATA, ACCORDING TO ISO 14025:	\checkmark	EPD verification by individual verifier(External)	
THIRD PARTY VERIFIER,		Life Cycle Logic Pty. Ltd.	
APPROVED BY EPD AUSTRALASIA		Andrew D. Moore	
AUJINALAJIA	Post:	PO Box 571 Fremantle WA 6959 Australia	
	Web:	lifecyclelogic.com.au	
	Email:	Andrew@lifecyclelogic.com.au	
PROCEDURE FOR FOLLOW- UP OF DATA DURING EPD		yes	
VALIDITY INVOLVED THIRD- PARTY VERIFIER	\checkmark	no	
VERSION HISTORY		1.0	









For more information about Stevenson Aggregates visit: stevenson.co.nz

STEVENSON